

SAFETY DATA SHEET

Issue Date Revision Date July 2018 April 2021

Version

5

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier	
Product Name	ACID Magic [®] Advanced Formula
Other Means of Identification	
SDS #	USA/SDS/I05
Product Code	USA
UN/ID No.	UN1760
<u>Synonyms</u>	The User Friendly Muriatic Acid!™*
	*ACID Magic should not be used to aid or effect any pool disinfectant product or other water modifier.
Recommended Use of the Cher	nical and Restrictions on Use
Recommended Use	Cleans, clarifies and etches like full strength muriatic acid.*
Details of the Supplier of the Sa	afety Data Sheet
Supplier Address	Certol International, LLC.
	6120 East 58th Avenue
	Commerce City, Colorado 80022
	www.Certol.com
	Phone: 303-799-9401
	Toll-Free: 1-800-843-3343
	Fax: 303-799-9408
24 Hour Emergency	Telephone
	INFOTRAC: 1-800-535-5053 (North America)
	INFOTRAC: 1-352-323-3500 (International)

2. HAZARDS IDENTIFICATION



Corrosive to Metals Category 1 Serious Eye Damage/Eye Irritation Category 1 Specific Target Organ Toxicity (single exposure) Category 3 AcuteToxicity- Oral Category 4 Signal Word Danger **Physical & Chemical Hazards:** May be corrosive to metal. Health Hazards: May cause respiratory irritation. Causes serious eye damage. May cause drowsiness or dizziness. May be corrosive to metals. See Section 12. **Environmental Hazards: GHS Label Element Hazard Statements** H290 May be corrosive to metal. H302 Harmful if swallowed. H318 Causes serious eye damage. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. **Precautionary Statements:** Prevention P202 Do not handle until all safety precautions have been read and understood. P280 Wear eye protection. P260 Do not breathe dust/fumes/gas/mist/vapors/spray. Response P301 IF SWALLOWED: Immediately call a Poison Control Center or doctor/physician. Rinse mouth. P304 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Control Center or a doctor/physician. Storage P403 Store in a well-ventilated place. P406 Store in a corrosive resistant container. Store at temperatures not below 32°F (0°C). P411 Disposal Dispose according to all local, state and federal regulations. P501 Hazard(s) not otherwise classified(HNOC): Not determined.

	3. COMPOSITION/INFORMATION ON INGRE	DIENTS	
Chemical Name	CAS No.	Weight-%	
Hydrochloric Acid	7647-01-0	**	
Others	Various	***	

** The exact percentage is a trade secret.

Classification

*** The specific chemical identity of this composition is being withheld as a trade secret.

	4. FIRST AID MEASURES	
Inhalation	Remove victim to fresh air and keep at rest in a position comforta give artificial respiration. Call a physician or Poison Control Center	
Eye Contact	Immediately flush with plenty of water. Remove any contact lense minutes and call a physician immediately.	es and continue flushing for several
<u>Ingestion</u>	Rinse mouth and drink plenty of water. Do not induce vomiting. N person who is unconscious. Call a physician or Poison Control Ce	
Skin Contact	Wash off immediately with plenty of water for several minutes. Ta contaminated clothing before reuse. If skin irritation or rash occurs	
<u>Symptoms</u>	Inhalation of fumes or acid mist can cause irritation and corrosive Ingestion may cause burning of the mouth, throat, and digestion t	
Note to Physician USA/SDS/I05 ACID Maglc® Advanced Formula	Treat symptomatically. Page 2 of 6	Revision Date April 2021

5. FIRE-FIGHT	ING MEASURES
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<u> Unsuitable Extinguishing Media</u>	None Determined.
Specific Hazards Arising from the Chemical	Contact with metals may evolve flammable hydrogen gas. The decomposition can lead to the release of toxic/corrosive gases and vapors.
Hazardous Combustion Products	Hydrogen Chloride.
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
6. ACCIDENTAL RI	ELEASE MEASURES
Personal Precautions, Protective Equipment and Emergency Proced	ures
Personal Precautions	Use personal protective equipment as required.
For Emergency Responders	Restrict access to spill area. Ventilate the area.
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas.
Methods and Material for Containment and Cleaning Up	
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up	Soak up with inert absorbent material. Flush residue with water. Neutralize with soda ash or other acid-neutralizing agent.
7. HANDLING	AND STORAGE
Precautions for Safe Handling	
Advice on Safe Handling	Wash face, hands, and any exposed skin thoroughly after handling.
	Do not eat, drink or smoke when using this product.
	Avoid breathing vapors, mist or gas. Use only in well-ventilated areas.
	Keep out of the reach of children and pets.
Conditions for Safe Storage, Including any Incompatibilities	
Storage Conditions Packaging Material	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Keep away from heat. Store away from incompatible materials. Store in a closed, properly labeled, and acid resistant container. Avoid storing below 32°F (0°C). Do not store near alkalis, highly flammable or oxidizing substances. Product must not contact chlorine bleach or cyanide Keep in orignial container.
Incompatible Materials	Do not store near alkalis, highly flammable or oxidizing substances. Product must not contact chlorine bleach or cyanide
8. EXPOSURE CONTROLS A	ND PERSONAL PROTECTION
Exposure Guidelines	

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrochloric Acid 7647-01-0	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m ³ Ceiling: 5 ppm Ceiling: 7 mg/m ³	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m ³

Exposure Guidelines		See above occupational exposure limits.
Appropriate Engineering Controls		Eyewash Stations.
Individual Protection Measures, such as Personal Protective Equip	<u>uipment</u>	
Eye/Face Protection		Wear goggles or chemical safety glasses. Face protection shield.
Skin and Body Protection		Wear water-resistant gloves. Wear appropriate clothing to prevent repeated or prolonged skin contact.
Respiratory Protection		Under normal conditions, respirator is not normally required. Use acid resistant respirator if concentration is high.
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practices.
USA/SDS/105 ACID Magic® Advanced Formula	Page 3 of 6	Revision Date April 2021

9. PHYSICAL AND CHEMICAL PROPERTIES Information on Basic Physical and Chemical Properties

Physical State	Liquid	Appearance	Clear to Yellow Liquid	Color	Clear to Yellow	Odor	Not Determined
Property		Values	Property		Val	ues	1
pH		< 1 (25°C / 77°F)	Specific Gravity		1.11 (60°F	⁻ / 15.5°C)	
Melting Point / Freezi	ng Point	Not Determined.	Water Solubility		Complete	ly Soluble.	
Boiling Point / Boiling	Range	212°F / 100°C	Partition Coefficient		Not Dete	ermined.	
Flash Point	_	Not Determined.	Autoignition Temperature		Not Dete	ermined.	
Evaporation Rate		< 1	Decomposition Temperature		Not Dete	ermined.	
Flammability (Solid/Gas)		N/A - Liquid	Kinematic Viscosity Not Determined		ermined.		
Flammability Limits In	n Air	Not Determined.	Dynamic Viscosity		Not Dete	ermined.	
Vapor Pressure		Not Determined.	Explosive Properties		Not Ex	plosive.	
Vapor Density		> 1	Oxidizing Properties		Not Dete	ermined.	

10. S	10. STABILITY AND REACTIVITY			
Reactivity	Not reactive under normal conditions.			
Chemical Stability Stable under recommended storage conditions.				
Possibility of Hazardous Reactions	Reacts with carbon steel, aluminum and copper.			
Hazardous Polymerization	Aldehydes & epoxides, in the presence of HCI, will cause hazardous polymerization.			
Conditions to Avoid	Avoid high temperatures. Incompatible materials. Avoid storing below 32°F (0°C).			
Incompatible Materials	Alkalis. Strong oxidizing agents. Acetic anhydride. Oleum. Amines. Vinyl acetate. Cyanides. Chlorine bleach.			
Hazardous Decomposition Products	HCI gas evolved from heating; hydrogen gas evolved by reaction.			
11. TO	XICOLOGICAL INFORMATION			

Routes of Exposure	Eye contact. Skin contact. Inhalation. Ingestion.			
Information on Likely Routes of Exposure				
Ingestion	Harmful if swallowed.			
Inhalation	Avoid breathing vapors or mists.			
Skin Contact	No effect for healthy, intact skin. Slight to moderate irritant in some individuals.			
Eye Contact	Avoid contact with eyes.			
Component Information				

Chemical Name	Oral LD₅₀	Dermal LD ₅₀	Inhalation LC ₅₀
Hydrochloric Acid 7647-01-0	700 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	3124 ppm (Rat) 1 hr.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity

The product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrochloric Acid 7647-01-0	N/A	Group 3	N/A	N/A

ACGIH (The American Conference of Governmental Industrial Hygienists)

A4- Not Classifiable as a Human Carcinogen.

IARC(International Agency for Research on Cancer)

Group 3 - Not Carcinogenic to Humans

Numerical Measures of Toxicity

Not Determined.

Ecotoxicity

12. ECOLOGICAL INFORMATION

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrochloric Acid 7647-01-0	EC ₅₀ Selenastum capricornnutum (Green Algae): 0.0492 mg/L/72 hr. (pH 5.3)	282: 96 hr. Gambusia affinis mg/L LC ₅₀ static	None Known	LC ₅₀ ; Species: Cragnon cragnon (Common shrimp, adult); Conditions; saltwater, renewal, 15° C; Concentration: 260 mg/L for 48 hr.

Persistence and Degradability Bioaccumulation Mobility

Other Adverse Effects

Not Determined. Not Determined. Not Determined. Not Determined.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Contaminated Packaging

Dispose according to all local, state and federal regulations. Dispose according to all local, state and federal regulations.

Steps to be Taken in Case Material is Released or Spilled

Deny access to the area. Ventilate the area well. Large spills or leaks should be cleaned up and controlled with an inert absorbent material. Flush surface with water and neutralize with soda ash or other acid-neutralizing agent. Prevent material from entering waterways. CERCLA reportable Quantity (RQ) is 5,000 lbs.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Quarts and gallons are shipped as Limited Quantity. Large sizes, 5 gallons or more, are shipped as class 8.

DOT	UN/ID No	UN1760
	Proper Shipping Name	Corrosive Liquid, n.o.s. (Hydrochloric Acid)
	Hazard Class	8
	Packing Group	III
ΙΑΤΑ	UN/ID No	UN1760
	Proper Shipping Name	Corrosive Liquid, n.o.s. (Hydrochloric Acid)
	Hazard Class	8
	Packing Group	III
IMDG	UN/ID No	UN1760
	Proper Shipping Name	Corrosive Liquid, n.o.s. (Hydrochloric Acid)
	Hazard Class	8
	Packing Group	III
NMFC	NMFC 44155.3 Class 70	

15. REGULATORY INFORMATION

International Inventories Legend:

Not Determined.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/ European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Chemical Name	CAS No	Weight %	SARA-Threshold Values %
Hydrochloric Acid	7647-01-0	Proprietary	1

Clean Water Act (CWA)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric Acid 7647-01-0	5000 lb.	N/A	N/A	х

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrochloric Acid 7647-01-0	5000 lb.	5000 lb.	RQ 5000 lb. final RQ RQ 2270 kg final RQ

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name New Jersey		Massachusetts	Pennsylvania	
Hydrochloric Acid 7647-01-0	х	х	х	

16. OTHER INFORMATION						
NFPA						
	Health Hazards	Flammability	Instability	Special Hazards		
	3	0	0	Not Determined.		
HMIS						
	Health Hazards	Flammability	Physical Hazards	Personal Protection		
	3	0	0	0		
Issue Date	July 2018					
Revision Dat	e April 2021					
Revision Not	<u>e</u>					
<u>Disclaimer</u>	claimer This Safety Data Sheet was prepared to comply with the current OSHA hazard Communication Standard adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). Employers should use this information as a supplement to other information gathered by them and must make independent determination of suitability and					

as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the satefy and heatth of employees.

End of Safety Data Sheet